BBA

Protein Structure & Molecular Enzymology

Vol. 1202, 1993

Cumulative Contents

Information for Contributors vii

Regular Papers

Site-directed mutagenesis of human tissue transglutaminase: Cys-277 is essential for transglutaminase activity but not for GTPase activity
K.N. Lee, S.A. Arnold, P.J. Birckbichler, M.K. Patterson, Jr., B.M. Fraij, Y. Takeuchi and H.A. Carter (USA) 1

Lysyl oxidase copper-talon complex: a model
C.J. Krebs and S.A. Krawetz (USA) 7

Characterization of *Serratia marcescens* nuclease isoforms by plasma desorption mass spectrometry
J. Pedersen, M. Filimonova, P. Roepstorff and K. Biedermann (Denmark, Russia) 13

Allosteric modulation by ATP, calcium and magnesium ions of rat osseous plate alkaline phosphatase
J.M. Pizauro, P. Ciancaglini and F.A. Leone (Brazil) 22

Interconversions between active, inert and substrate forms of denatured/refolded type-1 plasminogen activator inhibitor
M. Munch, C.W. Heegaard and P.A. Andreasen (Denmark) 29

Bowringia mildbraedii agglutinin: polypeptide composition, primary structure and homologies with other legume lectins
D. Chawla, T. Animashaun, R.C. Hughes, A. Harris and A. Aitken (UK) 38

Mg^{2+} and ATP or adenosine 5′-[γ-thio]-triphosphate (ATPγS) enhances intrinsic fluorescence and induces aggregation which increases the activity of spinach Rubisco activase
Z.Y. Wang, R.T. Ramage and A.R. Portis, Jr. (USA) 47

Butyrylcholinesterase activity towards long-chain alkanoylcholines: kinetics and mechanism
M. Chelminska-Bertilsson, S. Allenmark and L. Edebo (Sweden) 56

A molecular model for cinnamyl alcohol dehydrogenase, a plant aromatic alcohol dehydrogenase involved in lignification
J.H. McKie, R. Jaouhari, K.T. Douglas, D. Goffner, C. Feuillet, J. Grima-Pettenati, A.M. Boudet, M. Baltas and L. Gorrichon (UK, France) 61

Comparison of cDNAs from bovine brain coding for two isoforms of calreticulin
N. Liu, R.E. Fine and R.J. Johnson (USA) 70

Mechanism-based inhibition of proline dehydrogenase by proline analogues
D. Tritsch, H. Mawlawi and J.-F. Biellmann (France) 77

Substitution of a haem-iron axial ligand in flavocytochrome b_2
C.S. Miles, F.D.C. Manson, G.A. Reid and S.K. Chapman (UK) 82

Differential kinetic properties of L-2-amino-4-methylthio-*cis*-but-3-enoic acid, a methionine analog inhibitor of *S*-adenosylmethionine synthetase
J.R. Sufrin, J.B. Lombardini and V. Alks (USA) 87

Energy-transfer measurements of the Cys^{35}–Cys^{84} distance in bovine cardiac troponin C
Y.-M. Liou and F. Fuchs (USA) 92

X-ray absorption spectroscopic studies of a transient intermediate in the reaction of cyanide metmyoglobin with dithionite by using rapid freezing
S. Saigo, H. Hashimoto, N. Shibayama, M. Nomura and T. Nagamura (Japan) 99

Altered protein synthesis in a cell-free system exposed to a sinusoidal magnetic field
E.M. Goodman, B. Greenebaum and M.T. Marron (USA) 107

Pulse radiolysis and related studies on the Ru-modified His 16 derivative of *Anabaena variabilis* [2Fe-2S] ferredoxin
E. Lloyd, N.P. Tomkinson, G.A. Salmon and A.G. Sykes (UK) 113

Two-dimensional nuclear magnetic resonance study of the β-casein peptide 1–25: resonance assignments and secondary structure
N.M. Wahlgren, J. Léonil, P. Dejmek and T. Drakenberg (Sweden, France, Finland) 121

Change of substrate specificity by chemical modification of lysine residues of porcine pancreatic α-amylase
H. Yamashita, H. Nakatani and B. Tonomura (Japan) 129

Purification of alpha-fetoprotein from human cord serum with demonstration of its antiestrogenic activity
S.H.G. Allen, J.A. Bennett, G.J. Mizejewski, T.T. Andersen, S. Ferraris and H.I. Jacobson (USA) 135

NMR studies of a complex of RNAse from *Penicillium brevicompactum* with dinucleoside phosphonate and the implications for the mechanism of enzyme action
G.I. Yakovlev and G.P. Moiseyev (Russia) 143

Two forms of Factor C from the amoebocytes of *Carcinoscorpius rotundicauda*: purification and characterisation
J.L. Ding, M.A.A. Navas, III and B. Ho (Singapore) 149

Reinvestigation of the role of thiol groups of glyoxalase I purified from yeast (*Saccharomyces cerevisiae*)
A.M. Caccuri, A. Risitano, F. Marmocchi, G. Venardi, G. Aureli, R. Petruzzelli and A. Desideri (Italy) 157

Evaluation of transmembrane helix prediction methods using the recently defined NMR structures of the coat proteins from bacteriophages M13 and Pf1
R.J. Turner and J.H. Weiner (Canada) 161

Rapid Report

The ATP-induced myosin subfragment-1 fluorescence intensity increase is due to one tryptophan
S.J. Papp and S. Highsmith (USA) 169

Editorial *v*

Regular Papers

Detection and reactions of the globin radical in haemoglobin
K.M. McArthur and M.J. Davies (UK) 173

Identification of the site of the globin-derived radical in leghaemoglobins
M.J. Davies and A. Puppo (UK, France) 182

Interpretation of hyperfine shift patterns in ferricytochromes b_5 in terms of angular position of the heme: a sensitive probe for peripheral heme protein interactions
K.-B. Lee, G.N. La Mar, K.E. Mansfield, K.M. Smith, T.C. Pochapsky and S.G. Sligar (USA) 189

Domain structure and multiplicity of raw-starch-digesting amylase from *Bacillus circulans*: extensive proteolysis with proteinase K, endopeptidase Glu-C and thermolysin
C.-H. Kim and Y.-H. Kho (South Korea) 200

Glutamate dehydrogenase from the thermoacidophilic archaebacterium *Sulfolobus solfataricus*: studies on thermal and guanidine-dependent inactivation
V. Consalvi, R. Chiaraluce, L. Politi, A. Pasquo, M. De Rosa and R. Scandurra (Italy) 207

Identification of functional involvement of tryptophan residues in phospholipase A_2 from *Naja naja atra* (Taiwan cobra) snake venom
L.-S. Chang, K.-W. Kuo and C.-C. Chang (Taiwan) 216

Dynamic structural and functional relationships in recombinant plasminogen activator inhibitor-1 (rPAI-1)
D.E. Vaughan, P.J. Declerck, T.M. Reilly, K. Park, D. Collen and G.D. Fasman (USA, Belgium) 221

Folding of terminal histone-H1 peptides in the presence of the oligonucleotide 5′-$(AT)_6$-3′
L. Böhm and P.C. Creemers (South Africa) 230

The identification of a lysine residue reactive to pyridoxal-5-phosphate in the glycerol dehydrogenase from the thermophile *Bacillus stearothermophilus*
L.J. Paine, N. Perry, A.G. Popplewell, M.G. Gore and T. Atkinson (UK) 235

Glutamate dehydrogenase from the extremely thermophilic archaebacterial isolate AN1
R.C. Hudson, L.D. Ruttersmith and R.M. Daniel (New Zealand) 244

Chemical modification of octopine dehydrogenase by thiol-specific reagents: evidence for the presence of an essential cysteine at the catalytic site
S. Sheikh and S.S. Katiyar (India) 251

Overproduction, purification and properties of 2,3-dihydroxyphenylpropionate 1,2-dioxygenase from *Escherichia coli*
T.D.H. Bugg (UK) 258

Inhibition of aminopeptidases by *N*-aminoacyl-*O*-4-nitrobenzoyl hydroxamates
H.-U. Demuth, A. Stöckel, A. Schierhorn, S. Fittkau, H. Kirschke and D. Brömme (Germany, Canada) 265

Novel *N*-peptidyl-*O*-acyl hydroxamates: selective inhibitors of cysteine proteinases
D. Brömme, U. Neumann, H. Kirschke and H.-U. Demuth (Germany) 271

Disulfide bridge structure of the heat-stable sweet protein mabinlin II
S. Nirasawa, X. Liu, T. Nishino and Y. Kurihara (Japan) 277

Modulation of the activity of angiogenin by mutagenesis at Asp-116
T.P. Curran, R. Shapiro, J.F. Riordan and B.L. Vallee (USA) 281

Evidence for an α-helical epitope on outer surface protein A from the Lyme disease spirochete, *Borrelia burgdorferi*: An application of steady-state and time-resolved fluorescence quenching techniques
L.L. France, J. Kieleczawa, J.J. Dunn, B.J. Luft, G. Hind and J.C. Sutherland (USA) 287

CheZ mutants with enhanced ability to dephosphorylate CheY, the response regulator in bacterial chemotaxis
C. Huang and R.C. Stewart (Canada) 297

Two very long periodicities in collagen
V.J. James, J.F. McConnell and Y. Amemiya (Australia, Japan) 305

Purification and characterization of deoxycytidine kinase from acute myeloid leukemia cell mitochondria
L.-M. Wang, G.L. Kucera and R.L. Capizzi (USA) 309

Activity of mushroom tyrosinase on catechol and on a catechol estrogen in an organic solvent
G.M. Jacobsohn, R. Iskandar and M.K. Jacobsohn (USA) 317

The role of the carbohydrate chains of Galβ-1,4-GlcNAcα2,6-sialyltransferase for enzyme activity
D.G. Fast, J.C. Jamieson and G. McCaffrey (Canada) 325

Influence of tryptophan residues on melittin's hemolytic activity
S.E. Blondelle, L.R. Simpkins, E. Pérez-Payá and R.A. Houghten (USA) 331

Rapid Report

Sequence-directed recognition peptides: inhibition of endothelin generation via a substrate-depletion mechanism
M. Zamai and V.R. Caiolfa (Italy) 337

Cumulative Contents, Vol. 1202 341

Author Index 344